



Frying oil Summum Longlife

Version: 01 Revision from: 05-01-2021 Page **1/4**

General		
Product description	Refined vegetable oils (sunflower oil and rapeseed oil) to which a natural	
	antioxidant and anti-foaming agent have been added. This slows oxidation and extends the life span.	
Ingredient declaration	Sunflower oil, rapeseed oil, antioxidant: tocopherol-rich extract,	
	antifoaming agent: E900	
GMO status	GMO-free: in view of Regulation (EC) 1829/2003 and 1830/2003 this	
	product is not subject to GM labeling and traceability requirements.	
Country of origin	On request	
Intended use	Suitable for use in the food industry	
	Do not heat over 175°C	

Packaging, storage and shelf life			
The packing is free from unwanted physical and chemical contamination and meets the European legislation EG 1935/2004 and EU 10/2011.			
Store in a dry and dark place at room temperature (≤ 20°C). Close after use.			
Available in packaging: Shelf life from manufacture: Minimal shelf life at delivery:		Minimal shelf life at delivery:	
10 liter bag in box	18 months	9 months	
10 and 20 liter HDPE	18 months	9 months	

Organoleptic characteristics		
Texture	liquid	
Taste	Neutral	
Odor	Neutral	
Color	Pale yellow	

Physical and chemical characteristics		
Parameters	Norm	
Density at 20° C	915 - 922 kg/m ³	
Smoke point	~ 210°C	
Flash point	~ 300°C	
Peroxide value	Up to max 10,0 meq/kg (at the end of shelf life Codex Stan 210-1999)	

Producer: Oiltrade BV

Frying oil Summum Longlife





Version: 01 Revision from: 05-01-2021 Page **2** / **4**

Fatty acids composition (%)		
Fatty acid	Min.	Max.
C14:0 Myristic acid	ND	0,2
C16:0 Palmitic acid	4,3	7,4
C16:1 Palmitoleic acid	ND	0,2
C18:0 Stearic acid	2,1	5,4
C18:1 Oleic acid	25,1	48,6
C18:2 Linoleic acid	38,3	60,8
C18:3 Linolenic acid	1,5	4,4
C20:0 Arachidic acid	0,1	0,7
C20:1 Eiconsenic acid	ND	1,5
C22:0 Behenic acid	0,2	1,2
C22:1 Erucic acid	ND	0,8
C24:0 Lignoceric acid	ND	0,4
Trans fatty acids		1,2

Average nutritional value			
	Per 100 g	Per 100 ml	
Energy	3700 kJ / 900 kcal	3404 kJ / 828 kcal	
Fat	100 g	92 g	
of which saturates	9,8 g	9 g	
mono-unsaturates	39 g	36 g	
poly unsaturates	50 g	46 g	
Carbohydrates	0 g	0 g	
of which sugars	0 g	0 g	
Proteins	0 g	0 g	
Salt	0 g	0 g	

Microbiological characteristics

Our refined oils and fats comply with the microbiological criteria for foodstuffs according to Directive (EC)2073/2005. Please note that refined oils and fats undergo a sterilization step and are then not susceptible to the growth of microorganisms due to the low water activity levels in commercially available refined oils and fats. Oils and Fats are deodorized according to FEDIOL Code of Practice (min 180°C for min 2 hrs), which effectively eliminates microbiological activity.

Contaminants		
Heavy metals (according to Regulation EC 1881/2006 and Codex Stan 210)	Standards	
Lead (Pb)	Max. 0,1 mg/kg	
Iron (Fe)	Max. 1,5 mg/kg	
Copper (Cu)	Max. 0,1 mg/kg	
Arsenic (As)	Max. 0,1 mg/kg	





Frying oil Summum Longlife

Version: 01 Revision from: 05-01-2021 Page **3 / 4**

Pesticides (according to Regulation EC 396/2005 and its amendments)			
Pesticides residues EC 396/2005			
Polyaromatic hydrocarbons (according to Regulation EC 1881/2006 and its amendment EU 835/2011)			
PAH 4: Sum of benzo(a)pyrene, benz(a)antracene,	Max 10 ppb		
benzo(b)fluoranthene and chrysene			
Benzo(a)pyrene	Max 2 ppb		
Dioxin (according to Regulation EC 1881/2006 and its amandements & EU 1259/2011)			
Sum of dioxins (WHO-PCDD/F-TEQ)	Max. 0,75 pg/g fat		
Som of dioxins and dioxin-like PCB's (WHO-PCDD/F-PCB-TEQ) Max. 1,25			
ICES-6 (Som van PCB28, PCB52, PCB101, PBC138, PCB153 en PCB180)	Max. 40 ng/g fat		
Glycidyl-esters (according to Regulation EU 290/2018, amending EC 1881/2006)			
Glycidyl fatty acid esters expressed as glycidol	Max 1000 μg/kg		
3-MCPD (according to Regulation EU 1322/2020, amending EC 1881/2006)			
Sum of 3-monochloropropanediol and 3-MCPD fatty acid esters,	Max 1250 μg/kg		
expressed as 3-MCPD			

Allergens		
Allergenic substances and products therof:	Recipe contains	Cross- contamination
Cereals containing gluten (wheat, rye, barley, oats, spelt, kamut or their hybridised strains)	-	-
Crustaceans	-	-
Eggs	-	-
Fish	-	-
Peanuts	-	-
Soybeans	-	-
Milk	-	-
Nuts (almonds, hazelnuts, walnuts, cashews, pecan nuts, Brazil nuts, pistachio nuts, macadamian nuts)	-	-
Celery	-	-
Mustard	-	-
Sesame	-	-
Sulphur dioxide and sulphites (E220 –E228) at concentrations of more than 10mg/kg or 10mg/l , in terms of total SO_2	-	
Lupin	-	-
Molluscs	_	-





Frying oil Summum Longlife

Version: 01 Revision from: 05-01-2021 Page 4 / 4

Disclaimer

The information contained in or set out in the above is to be kept confidential and is considered to be valuable intellectual property of OTR Oiltrade BV. It is to be used by the customer only for its own internal assessment and not to be disclosed to or otherwise used in connection with any third party without OTR Oiltrade's prior written approval. While the information contained herein is believed to be reliable, OTR Oiltrade BV makes no representation as to its accuracy or completeness. OTR Oiltrade BV accepts no liability if the content of this document is in contradiction with local legislation.